hardware key

A	B	C	D	E
Push to open hinges **x 2**	4.5 x 16mm wood screws **x 8**	push to open mechanism **x 1**	adhesive plate **x 1**	3.5 x 16mm wood screws **x 4**

attaching push to open hinges to a door

Technik für Möbel   **Hettich**

1. removing hinge plate

Remove the hinge from the hinge plate by pushing on the release tab.

push tab

2. attaching hinge plate to cabinet

attach with screws through the elongated holes.

Note: if plastic lugs not in pre-drilled holes, fix into place carefully using a hammer first.

lugs
elongated holes

3. attaching hinge to door

attach with screws.

Note: if plastic lugs not in pre-drilled holes, fix into place carefully using a hammer first.

lugs

### 4. attaching push to open mechanism to cabinet

base cabinet: Install the mechanism on the top rail of the cabinet on the opposite side to where you placed the hinges. **wall cabinet:** Install the mechanism on the bottom shelf of the cabinet on the opposite side to where you placed the hinges. **pantry:** Install the mechanism on the middle shelf of the pantry on the opposite side to where you placed the hinges.

Mechanism should be placed flush with the front of rail/shelf as shown above. Mark and Pre-drill before installing.

5. attaching self adhesive plate to push to open mechanism

Attach self adhesive plate to magnet on push to open mechanism. Peel self adhesive cover from plate.

adhesive plate

6. attaching self adhesive plate to cabinet door

Close door and hold for 10 seconds. While holding door closed, apply pressure to location of the push to open mechanism.

Open door and check shelf adhesive plate has transferred to door. Repeat step if transfer has not occured.

adhesive plate